



indoseals™

An associate of ND Thakare
ISO 9001-2015



Mechanical Seals Total Solutions

Straight spring seal - ISPL 2406

- Handles high pressure
- Balanced / Unbalanced
- Sturdy and long life spring
- Dependent on direction of rotation

(ISPL 2406 A is independent of direction on rotation)

Applications:

- Suitable for high velocity fluid
- Light abrasive and sewage handling pumps
- Handles abrasive slurries of moderate cone
- Lime pump, syrup pump in sugar industry

Single spring is independent of direction of rotation due to unique position of drive lug design which avoids any torsional load on the spring. This increases spring movement and minimises drag on the rotary seat face. With the sturdy and long spring design the seat can tolerate greater amount of misalignment, vibration, thermal expansion and axial play of the pump shaft.




ISPL-2406




ISPL-2406A




ISPL-2406B




ISPL-2406 Unbalanced Type Seal



ISPL-2406C Single Spring Special Type Seal



ISPL-2406A Slip Type Seal



ISPL-2406D Straight Spring Star Type Seal

Certified By:



Use Indoseals....avoid plant pollution



- Nashik
- Pune
- Mumbai
- Kolhapur
- Hyderabad
- Bangalore
- Vijaywada
- Chennai
- Ahmedabad
- Barodra
- Kolkata
- New Delhi
- Sharanpur
- Lucknow
- Raipur
- Jaipur

Contact us:

For Sales:
sales@indoseals.com
Cell No.: +91 7447439162

For Services:
service@indoseals.com
Cell No.: +91 9881301631



An associate of ND Thakare

Indoseals P. Ltd.

Mfgs. of Mechanical seals & spares, Rotary unions

Regd. Office & factory: W-97A, First Floor, MIDC, [behind Hardy Spicer] Ambad,
Nashik - 422010, Maharashtra, INDIA
Phone: +91 253 2384705; +91 253 2384575
Fax: +91 253 2384705, Cell: +91 9881301631
e-mail: sales@indoseals.com ; info@indoseals.com; Website: www.indoseals.com

Certified By:

