

indoseals

An associate of ND Thakare ISO 9001-2015



Mechanical Seals Total Solutions


Double Mechanical Seal - ISPL 2408

Applications:


- Unbalanced multispring, double seal
- Easy to install and replace
- Independent on direction of rotation
- Pumps handling highly volatile and toxic fluid
- Slurry, abrasive applications

The seal is a combination of two conventional seals installed back to back inside stuffing box. Combinations like unbalanced / unbalanced, balanced / balanced, unbalanced / balanced can be provided as required. A compatible clean liquid with pressure higher than inside fluid pressure is circulated to reduce heat generated on the seal face. Various seal face materials are offered to suit diffrent service conditions.






ISPL-2408 DMS Back to Back Arrangement




ISPL-2408A Back to Back Arrangement




ISPL-2408B DMS Face to Face Arrangement










ISPL-2408 D







Certified By:





~~~~*[mdosaals.aom*

Indoseals P. Ltd.

Mfgrs. of Mechanical seals & spares, Rotary unions

Regd. Office & factory: W-97A, First Floor, MIDC, (behind Hardy Spicer) Ambad,

Nashik - 422010, Maharashtra, INDIA

An associate of ND Thakare

Phone: +91 253 2384705; +91 253 2384575 Fax: +91 253 2384705, Cell: +91 9881301631

e-mail: sales@indoseals.com; info@indoseals.com; Website; www.indoseals.com

INDOSEALS

National

Sales & Service

Centres

Nashik

Pune

Mumbai

Kolhapur

Hyderabad

Bangalore

Vijaywada

Chennai

Ahmedabad

Barodra

Kolkata

New Delhi

Sharanpur

Lucknow

Raipur

Jaipur

Contact us:

For Sales:

sales@indoseals.com

Cell No.: +91 7447439162

For Services:

service@indoseals.com Cell No.: +91 9881301631

Certified By:



